



Self Contained Ice Machine up to 33 kg



FEATURES

- Produces individual Gourmet crystal clear ice cubes.
- Resistant stainless steel exterior.
- Advanced diagnostics computerized controls.
- Front panel in and out airflow (air-cooled model only) for built-in installation.
- Front access condenser air filter, removable and washable (air cooled model only).
- Ergonomically designed ice storage access, with disappearing door. Door-closing movement dampening system.
- Water system protected by patented anti-scale system.
- PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.



EC M 57
Medium Gourmet 20 g
Ø 30 x H 34 mm

CONDENSING SYSTEM

Air cooled

INTERNAL BIN CAPACITY

12 kg

REFRIGERANT GAS

R290

OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	43°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

VOLTAGE V/Hz/ph

230/50/1

Certifications:




Klik hier voor meer informatie op vonmarcken.nl

Self Contained Ice Machine up to 33 kg



Self Contained Ice Machine up to 33 kg

Self Contained Ice Machine up to 33 kg



UNIT DATA		Compressor		Circuit wires		Max. fuse size		
		Version	Voltage	Btu/h	W	No.	Ømm ²	A
Size (W x D x H)	386 x 600 x 695 mm	EC M 57 AS	230/50/1	2491	730	1	1.5	10
Net weight	38 kg							
SHIPPING DATA								
Carton (W x D x H)	460 x 670 x 810 mm							
Weight	45 kg							

Version	Condensation	Voltage	24 h ice production kg °C Amb. / °C Water			Energy consumption*		Water usage*	Instant power
			10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
EC M 57 AS	Air	230/50/1	33	31	25	27.0	6.6	4.0	370

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions