

PRODUCT

AKS 157 EXCLUSIVE PHARMACY REFRIGERATOR

The AKS 157 Exclusive pharmacy refrigerator ensures precise and stable temperatures, ensuring that medication is kept in a controlled cool environment maintaining their efficiency. The AKS 157 features; Open door, high/low and power failure alarm, contact for remote alarm, as well as porthole for external monitoring systems. The AKS 157 is made of quality material; PVC coated galvanized steel, inner cabinet of prepainted alu.

SPECIFICATIONS

Temperature Range, °C	+2 to +8
Uniformity in performance, °C	2,6
Refrigerant	R600a
Number of probes	2
Defrost	Yes- automatic
Internal air distribution	Mono Air Stream
Number of compressors	1
Safety thermostat	No
Noise, dBA	35
Energy consumption, kWh/24h	0,51
Voltage, V	220 / 240
Frequency, Hz	50
Plug type	Schuko
Gross volume, litres (cu. ft.)	138 (4,87)
Net volume, litres (cu. ft.)	78 (2,75)
Inner Height, mm (inches)	668 (26,3)
Inner Width, mm (inches)	490 (19,3)
Inner Depth, mm (inches)	437 (17,2)



FEATURES

Lock	Yes
LED light	Yes
Porthole	Yes
Contact for remote alarm	Yes
Castors	No
Doors	Solid
Door closure	No
Door reversibility	Yes

Products are subject to change due to enhancements and continuous development. Vestfrost Solutions reserve the right to alter any information, without further notice.



BIOMEDICAL SOLUTIONS

VESTFROST
SOLUTIONS

A/S Vestfrost
Falkevej 12
DK-6705 Esbjerg Ø
www.vestfrostolutions.com

PRODUCT

AKS 157 EXCLUSIVE PHARMACY REFRIGERATOR

STORAGE

Drawers	optional
Drawer material	Stainless steel
Number of drawers	2 + shelf in bottom
Max loading drawers, kg (lbs)	16
Shelves	Standard
Shelves material	Stainless steel Wire shelves
Number of shelves incl bottom shelf (Standard)	2+ bottom shelf

CONTROLLER

Type	XW737K
USB connection	Yes
Data connection	MODBUS
Languages	3 digits
Logs of data/alarm	35000
High/Low temperature alarm	Yes
Open door alarm	Yes
Power failure alarm	Yes
Probe failure alarm	Yes
Temperature graph	No

OPTIONALS

Chart recorder	Yes
Drawers	Optional
WiFi temperature monitoring	Yes
Dividers for drawers	Yes

DIMENSIONS AND CONSTRUCTION

Height, mm (inches)	830 (32,6)
Width, mm (inches)	599 (23,58)
Depth, mm (inches)	610 (24,02)
Depth incl. doorhandle, mm (inches)	670 (26,38)
Gross weight, kg (lbs)	69 (152,1)
Net weight, kg (lbs)	47 (103,6)
Material inner cabinet	Prepainted Alu
Material outer cabinet	PVC coated galvanized steel
Insulation thickness	50 mm
Insulation type	Polyurethane w. cyclopentane
Type of packaging	Wooden Box

Products are subject to change due to enhancements and continuous development. Vestfrost Solutions reserve the right to alter any information, without further notice.



BIOMEDICAL SOLUTIONS

VESTFROST
SOLUTIONS

A/S Vestfrost
Falkevej 12
DK-6705 Esbjerg Ø
www.vestfrostolutions.com



VONMAREN
LABORATORY & MEDICAL EQUIPMENT

DETAILS

AKS 157 EXCLUSIVE PHARMACY REFRIGERATOR

- Designed and manufactured by A/S Vestfrost in Denmark
- Undercounter version

ENVIRONMENT

- Eco-friendly R600a refrigerant
- Efficient cyclopentane insulation
- Low energy consumption

FEATURES

- Digital XW737K controller with touch display
- Glass door with aluminium handle
- Prepared for external logging equipment
- Top LED light for maximum visibility
- Integrated lock to prevent unauthorized access
- Open door, high/low, power failure and probe failure alarm

QUALITY


- User-friendly and a minimum of maintenance
- Single compressor system
- Inner cabinet in repainted steel



WIRESHELVES IN STAINLESS STEEL is standard in the AKS 157.



PRECISION digital XW737K controller with display, on-screen graph, audible and visual alarm.



TOP-QUALITY extractable, and height adjustable, drawers with partitions for rational storage of medicine is optional.

Products are subject to change due to enhancements and continuous development. Vestfrost Solutions reserve the right to alter any information, without further notice.



BIOMEDICAL SOLUTIONS

VESTFROST
SOLUTIONS

A/S Vestfrost
Falkevej 12
DK-6705 Esbjerg Ø
www.vestfrostolutions.com